

STONEYARD®

Natural Thin Stone Veneer

PRODUCT CATALOG



The logo for STONEYARD, featuring the word "STONEYARD" in a bold, serif font with a registered trademark symbol (®) to the upper right. The text is set against a dark, textured rectangular background.

REAL NEW ENGLAND STONE VENEER

At STONEYARD®, we pride ourselves on cutting natural stones into thin veneer for discerning architects, designers, contractors, and homeowners. Our unique and memorable stone is gathered locally throughout New England. Specialized stone craftsmen carefully sort, split, and cut large stones into individual pieces of thin veneer. Applications include stone siding, fireplaces, chimneys, foundation coverings, interior walls, outdoor and indoor kitchens, columns, and even wine cellars.

Our full line of thin stone veneer is available at Stoneyard in Littleton, MA, and at local masonry and building supply centers throughout the United States. Visit us online at Stoneyard.com for samples, photo galleries, videos, specifications, installation guides, or to find an authorized reseller near you.

Enrich Your Design

Design with Stone in Mind

Not only is natural stone the oldest and most reliable building material, it's also the best way to make a statement in your design. Rich textures and bold colors are just a few of the distinct elements that natural stone brings to a space. Each of the unique color lines has been carefully selected to meet the demands of any design scheme.

Projects Can Be LEED Certified

All New England thin stone veneer products are natural, recycled stones. Whether it's for a government building or historical restoration, this natural building material can assist with the LEED certification of your next project. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency.



Lightweight with the Beauty & Durability of Real Stone

New England thin stone veneer gives the appearance of full-thickness stone without the additional weight. These natural stones are durable enough to withstand the harshest winters, yet light enough to be installed without a footing.



Stoneyard.com Tools & Resources

How to Install



Stoneyard.com/install

Architect Info



Stoneyard.com/architect

Photos



Stoneyard.com/gallery

Videos



Stoneyard.com/videos

Samples



Stoneyard.com/samples



Boston Blend™ Ledge



Greenwich Gray™ Ledge



Boston Blend™ & Greenwich Gray™ Ledge

Ledgestone

STONEYARD® Ledgestone is a natural product, split from real New England stone. The unique inner graining created by thousands of years of pressure is exposed for all to see. This pattern consists of thin rectilinear pieces of natural stone that are stacked by a mason into rows or courses. Depending on personal preference, this shape can be installed with a standard or wide joint but is often dry laid. Sold as individual stones in flats and matching corners. Stoneyard.com/ledge



Boston Blend™ Ledgestone



Colonial Tan™ Ledgestone



Coastal Sand™ Ledgestone



Rustic Tan™ Ledgestone



Newport Mist™ Ledgestone



Portsmouth Granite™ Ledgestone



Oyster Bay™ Ledgestone



Vineyard Granite™ Ledgestone



Greenwich Gray™ Ledgestone

Finish: Split, textured face



Height: 1–4 inches

Length: 4–12 inches

Thickness: 1 inch +/- ¼ inch

Weight: Less than 14 lbs per square foot

Flats sold per square foot; Corners sold per linear foot



Boston Blend™ Ledgestone Flat Crate

Stones in photos have been field trimmed. Depending on preference, more or less trimming may be required to achieve the desired look.



Boston Blend™ Mosaic



Boston Blend™ Mosaic



Boston Blend™ Mosaic

STONEYARD® Mosaic pattern consists of irregular pieces of natural stone, primarily triangles and other random shapes similar to broken ice. Mosaic can be installed with dry laid, standard, or wide joint techniques. Each piece of natural stone has been handcrafted by skilled stonemasons into the perfect choice for your home or office. Sold as individual stones in flats and matching corners. Stoneyard.com/mosaic



Boston Blend™ Mosaic



Colonial Tan™ Mosaic



Coastal Sand™ Mosaic



Rustic Tan™ Mosaic



Newport Mist™ Mosaic



Portsmouth Granite™ Mosaic



Oyster Bay™ Mosaic



Vineyard Granite™ Mosaic



Greenwich Gray™ Mosaic

Finish: Natural, aged face. Irregular shapes.


Facing area per piece: 0.25–1.25 square feet
Size range: (4.5" x 8") to (11" x 16")

Thickness: 1 inch +/- ¼ inch


Weight: Less than 14 lbs per square foot

Flats sold per square foot; Corners sold per linear foot

Mosaic Flat



Mosaic/Square Corner



Boston Blend™ Mosaic Flat Crate

Stones in photos have been field trimmed. Depending on preference, more or less trimming may be required to achieve the desired look.



Boston Blend™ Ashlar



Boston Blend™ Ashlar



Boston Blend™ Ashlar

STONEYARD® Ashlar face veneer is taller than the Ledgestone and contains the same vibrant and varied colors of inner graining. It consists of rectilinear pieces of stone in a range of heights. This pattern can be installed with a standard or wide joint but is typically dry laid. Sold as individual stones in flats and matching corners. Stoneyard.com/ashlar



Boston Blend™ Ashlar



Colonial Tan™ Ashlar



Coastal Sand™ Ashlar



Rustic Tan™ Ashlar



Newport Mist™ Ashlar



Portsmouth Granite™ Ashlar



Oyster Bay™ Ashlar



Vineyard Granite™ Ashlar



Greenwich Gray™ Ashlar

Finish: Split, textured face

Height: 3-7 inches


Length: 4-14 inches

Thickness: 1 inch +/- ¼ inch


Weight: Less than 14 lbs per square foot

Flats sold per square foot; Corners sold per linear foot

Ashlar Flat



Ashlar Corner



Boston Blend™ Ashlar Flat Crate

Stones in photos have been field trimmed. Depending on preference, more or less trimming may be required to achieve the desired look.



Boston Blend™ Square & Rec



Boston Blend™ Square & Rec

Bowlmor Times Square, NY



Greenwich Gray™ Square & Rec

Square & Rectangular

Each of the STONEYARD® Square & Rectangular stones has been carefully hand sorted, split, and cut thin. The pieces are roughly square and rectangular and have been crafted from real New England stone. The exposed exterior of the stone shows the aged and natural face. The dimensional look of Square & Rectangular can be installed with standard, wide, or dry-fit mortar joints. Sold as individual stones in flats and matching corners. Stoneyard.com/square



Boston Blend™ Square & Rec



Colonial Tan™ Square & Rec



Coastal Sand™ Square & Rec



Rustic Tan™ Square & Rec



Newport Mist™ Square & Rec



Portsmouth Granite™ Square & Rec



Oyster Bay™ Square & Rec



Vineyard Granite™ Square & Rec



Greenwich Gray™ Square & Rec

Square & Rec Flat

Mosaic/Square Corner


Finish: Natural, aged face

Facing area per piece: 0.25–1.25 square feet
Size range: (4.5" x 8") to (11" x 16")

Thickness: 1 inch +/- ¼ inch

Weight: Less than 14 lbs per square foot

Flats sold per square foot; Corners sold per linear foot



Boston Blend™ Square & Rec Flat Crate

Stones in photos have been field trimmed. Depending on preference, more or less trimming may be required to achieve the desired look.

Round

STONEYARD® Round veneer is the most traditional New England shape. It consists of pieces of stone with rounded edges and a slightly pillowed face. These stones were crafted by Mother Nature millions of years ago during the glacial till. The unique patina left behind has been captured in a veneer that is perfect for use on your next stone project. Sold as individual stones in flats and matching corners.

Stoneyard.com/round



Boston Blend™ Round



Colonial Tan™ Round



Boston Blend™ Round Flat Crate

Finish: Natural, aged face. Irregular shapes.

Facing area per piece: 0.25–1.25 square feet


Size range: (6 inches x 6 inches) to (11 inches x 16 inches)

Thickness: 1 inch +/- ¼ inch


Weight: Less than 14 lbs per square foot

Flats sold per square foot; Corners sold per linear foot

Round Flat



Round Corner



Stones in photos have been field trimmed. Depending on preference, more or less trimming may be required to achieve the desired look.



Boston Blend™ Round



Colonial Tan™ Round

Whole Foods Bedford, NH

Personalize Your Design

Sometimes a little customization is exactly what is needed to make a home or commercial space truly your own. A great way to do this is with the use of natural stone and a custom stone formula. Create a unique look by blending different colors and shapes of thin stone veneer. Below are a few examples of mixed projects. Stoneyard.com/mix



Boston Blend™ Ledge & Mosaic



Colonial Tan™ & Boston Blend™ Square & Rec



Boston Blend™ Mosaic & Square & Rec

Packaging

Thin veneer is available in both flats and matching corners for all colors and shapes. Flat material is sold by the square foot (sf) and is available in boxes (5 sf), layers (12 sf), and crates (168 sf). Corners are sold by the linear foot (lf) and are available in boxes (5 lf), half crates (75 lf), and full crates (150 lf). Each crate and box is carefully packed and prepped for shipment throughout the USA. Stoneyard.com/packaging



Thin Veneer Boxes

Boxes

Flats: 5 sf

Corners: 5 lf

18 boxes per pallet



Thin Veneer Crates

Crates

Flats: 168 sf or 12 sf layer (14 layers, 12 sf per layer)

Corners: 150 lf or 75 lf

Corners

All of our thin veneer options are available in both flats and matching 90° corners. When other angles are needed, the options for installation are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. Stoneyard.com/corner



90° Corner ▲

Factory cut



Miter Cut 45° Corner ▲

Cut on-site by mason



Weaved 45° Corner ▲

Cut on-site by mason

Joint Options

When it comes to installing thin veneer, one of the aspects that can make the biggest effect aesthetically is the last step in the process: jointing. Below are the most common joint techniques used by masons during the installation process. A mock-up is typically created to help in all design decisions, including grout color, joint size, and desired finish. Stoneyard.com/mortar

Dry Laid



With the dry laid technique, stones are installed with no grout between pieces. This installation technique requires the most trimming.

Standard



Standard grout joints are $\frac{3}{8}$ – $\frac{3}{4}$ inch wide. Grout is typically recessed approximately $\frac{1}{2}$ inch from the stone face. The amount of trimming or shaping required is moderate.

Wide



With a wide joint installation, the stones are spaced more than 1 inch apart and the grout is more pronounced. Typically seen in historic renovations, this technique requires the least amount of trimming.

New England Thin Stone Veneer



Boston Blend™ Ledgestone*



Boston Blend™ Ashlar*



Boston Blend™ Mosaic*



Boston Blend™ Square & Rec*



Boston Blend™ Round*



Colonial Tan™ Ledgestone*



Colonial Tan™ Ashlar*



Colonial Tan™ Mosaic*



Colonial Tan™ Square & Rec*



Colonial Tan™ Round*



Rustic Tan™ Ledgestone*



Rustic Tan™ Ashlar*



Rustic Tan™ Mosaic*



Rustic Tan™ Square & Rec*



Coastal Sand™ Ledgestone*



Coastal Sand™ Ashlar*



Coastal Sand™ Mosaic*



Coastal Sand™ Square & Rec*



Newport Mist™ Ledgestone*



Newport Mist™ Ashlar*



Newport Mist™ Mosaic*



Newport Mist™ Square & Rec*



Portsmouth Granite™ Ledgestone*



Portsmouth Granite™ Ashlar*



Portsmouth Granite™ Mosaic*



Portsmouth Granite™ Square & Rec*



Oyster Bay™ Ledgestone*



Oyster Bay™ Ashlar*



Oyster Bay™ Mosaic*



Oyster Bay™ Square & Rec*



Vineyard Granite™ Ledgestone*



Vineyard Granite™ Ashlar*



Vineyard Granite™ Mosaic*



Vineyard Granite™ Square & Rec*



Greenwich Gray™ Ledgestone*



Greenwich Gray™ Ashlar*



Greenwich Gray™ Mosaic*



Greenwich Gray™ Square & Rec*

Corners are available in all colors and shapes.

Stones in photos have been field trimmed. Depending on preference, more or less trimming may be required to achieve the desired look.

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.

**This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest climates (both hot and cold). Perfect for interior and exterior use in any region including applications below grade. Also suitable for use in water features, near salt water, and in areas where blowing sand is a concern. Visit Stoneyard.com/hca for more details.*



STONEYARD

New England Stone Veneer



Stoneyard, Inc
265 Foster Street
Littleton, MA 01460

978.742.9800
Stoneyard.com

Back Cover: Greenwich Gray™ Ledge
Front Cover: Boston Blend™ Ledge & Mosaic

